

GTM
PROFESSIONAL®



**WOOD CHIPPERS
AND TREECARE**

Our range of compact and powerful wood chippers are designed to offer a portable option to chipping branches and crops – perfect for tree care, landscaping, forestry and garden maintenance.

Efficient, effective and safe to operate due to their chipping system – a rotor with 2 blades, one counter blade and ejection through a large discharge chute. The system pulls branches up to 12 cm thick into the machine, chips them and ejects clean cut wood chips time after time. The chipped material is ideal to use as mulch or compost.

GTM Professional wood chippers – for gardeners and professionals

GTS600

Powerful chipper for private users.

Branches with a diameter up to 5 cm (2") are easily pulled in and chipped. The GTS600 comes with PRO blades that last twice as long as regular blades.

The machine has several safety features including restart protection for the user and overload and overheat protection for the motor.



GTS900

Extra wide input area for efficient processing.

The GTS900 wood chipper is a powerful machine for professional use in the field of tree maintenance, ground care and forestry. With an extra wide input area - 40 x 28 cm (16 x 11") making it suitable for fast and efficient processing of branches up to 8 cm (3").

The machine is equipped with a safety button that immediately stops the motor.



GTS1300

A powerful gravity-fed machine for professional use in tree maintenance, ground care and forestry.

With a maximum height of 150 cm (59") and the engine sited under the hopper it is less than 80 cm (32") wide making it the most compact chipper in its class; capable of passing through interior doors and garden gates and processing branches up to 10 cm (4").

The GTS1300 wood chipper is light and perfectly balanced so that one person can operate and move the machine safely.



GTS1300R

On Tracks

Powerful but compact tracked wood chipper.

The GTS1300R wood chipper capable of chipping branches with a diameter of 10 cm (4") is equipped with caterpillar tracks to operate on rough and hard to access terrain, suitable for gardens, parks and forestry. The new construction can easily manage steep hills up to 20° incline.

The chassis is specially lowered, making the input height only 10 cm (4") higher than the GTS1300 on wheels.



GTS1300

PTO

A robust wood chipper, suitable for coupling to a tractor.

The GTS1300PTO wood chipper is suitable for chipping fresh, green wood with a diameter up to 12 cm (4½") and can be coupled to a tractor up to 45hp with a 3-point attachment and power take-off. A trailer can be attached to the back of the machine; for wood chips to be blown into directly.

The GTS1300PTO meets the highest safety standards. The safety mechanism is entirely independent of the tractor and works with any tractor.



Model	GTS600	GTS900
Branch diameter	5 cm / 2"	8 cm / 3.1"
Input Height	122 cm / 48"	101 cm / 39.8"
Input Dimensions	29 x 25 cm / 11.4 x 9.8"	40 x 28 cm / 15.7 x 11.0"
Output Height	70 cm / 27.6"	138 cm / 54.3"
Output Direction	Rear	Side
Deflector	80° Adjustable	80° Adjustable
Safety Items	Emergency Switch	Emergency Switch
Wheel Diameter	21 cm / 8.3"	39 cm / 15.4"
Wheels	Plain Bearings	Ball Bearings
Transmission	Direct Transmission	Double V Belts
Blades	PRO Blades	PRO Blades
Dimensions (l x w x h)	137 x 50 x 140 cm / 54 x 19.7 x 55.1"	150 x 67 x 145 cm / 59.1 x 26.4 x 57.1"
Weight (Depends on Engine)	50-52 kg / 110 - 115 lbs	140-151 kg / 309 - 333 lbs

Model	GTS1300R	GTS1300	GTS1300PTO
Branch diameter		10 cm / 4"	12 cm / 4.5"
Input height	125 cm / 49.2"	115 cm / 45.3"	110 cm / 43.3"
Input dimensions		34 x 42 cm / 13.4 x 16.5"	
Output height	160 cm / 63"	140 cm / 55.1"	155 cm / 61"
Output direction	adjustable	side	adjustable
Deflector		85° adjustable	
Safety Items	Panic bar, safety switches	Emergency switch, rotor locking system	Panic bar, safety switches, rotor locking system
Wheel diameter		40 cm / 15.7"	
Wheels		On ball bearings	
Transmission		Double V-belts	
Blades		Pro blades	
Dimensions (l x w x h)	215 x 72 x 170 cm / 84.6 x 28 x 67"	150 x 78 x 160 cm / 59 x 30.7 x 63"	90 x 106 x 155 cm / 35.4 x 41.7 x 61"
Weight (depends on engine)	345 kg / 760 lbs	165-216 kg / 364 - 476 lbs	210 kg / 463 lbs

Product Code	MSGTS600	MSGTS900
RRP Inc. VAT	£949	£2,299
Type	GTE160	GTE270
Displacement	163 cc	270 cc
Max. power hp / kW	5 / 3.6	8 / 6

Product Code	MSGTS600M	MSGTS900M
RRP Inc. VAT	£1,499	£2,699
Type	Mitsubishi GB18	Mitsubishi GB30
Displacement	181 cc	296 cc
Max. power hp / kW	4.5 / 3.3	7.5 / 5.5

Product Code	MSGTS1300RG	MSGTS1300G	MSGTS1300P
Type	GTE390	GTE390	
RRP Inc. VAT	£5,999	£3,099	£3,899
Displacement	389 cc	389 cc	
Max. power hp / kW	13 / 9.6	13 / 9.6	

Product Code	MSGTS1300RGE	MSGTS1300GE	
Type	GTE390	GTE390	
RRP Inc. VAT	£6,199	£3,499	
Displacement	389 cc	389 cc	
Max. power hp / kW	13 / 9.6	13 / 9.6	

Product Code	MSGTS1300RM	MSGTS1300M	
Type	Mitsubishi GB40	Mitsubishi GB40	
RRP Inc. VAT	£6,499	£3,999	
Displacement	391 cc	391 cc	
Max. power hp / kW	13 / 9.6	13 / 9.6	

Due to the company policy of continual product improvement, we reserve the right to alter specifications without prior notification.

ELEPHANTS TRUNK HARNESS V2

The GTM Professional Elephants Trunk Harness V2 will help you to trim hedges all day long without muscle strain and double your workspeed.

The comfortable harness is worn like a backpack and reduces the weight of the hedge trimmer by 3 kg (6.5 lbs). The length can be adjusted and is suitable for hedge trimmers from 4.5 to 8 kg (10 - 17.5 lbs).

A clear view and an unlimited work area will help you to work quicker and with greater safety and improved accuracy.

GTM Professional Elephants Trunk Harness V2 – for gardeners and professionals.

Product Code
MHH01010N2

RRP £299

NYLON BALL BEARINGS

ADJUSTABLE LENGTH

CLEAR VIEW WITHOUT OBSTACLES

FROM 4.5 - 8 KG
(10 -17.5 LBS)

COMFORTABLE HARNESS

BALANCER AT THE BACK



RATTLEWEDGE

The GTM Professional Rattlewedge is a patented tool that has been developed by arborists for you – to improve the security and working conditions when you are felling trees or cutting up large pieces of wood. The Rattlewedge can be inserted into the notch made in the wood and tightened up to open up the notch, allowing you to control when and where the tree will fall.


The Rattlewedge helps you control the wood without any effort, whether you are in the tree or on the ground.

Made of lightweight aluminium and weighing only 1.4 kg (3 lbs), it can be easily carried up into the tree and the weight of the tree will make the task of felling that much easier and safer.

GTM Professional Rattlewedge – for gardeners and professionals.

Product Code
KSIRW0000

RRP £199



GTM

PROFESSIONAL®

SPARE PARTS AND ACCESSORIES

ITEM	SUITABLE FOR	PRODUCT CODE	RRP
Swivel Chute	MSGTS1300G	GTSA030022000	£389.00
Tow Bar	MSGTS900 MSGTS1300G	GTSD070000015	£169.00
Hour Counter	MSGTS900 MSGTS1300G	GTSE11HOURCRL	£69.00
Bumper Support	MSGTS900 MSGTS1300G	GTSM023015000	£79.00



The Power
Behind The Brands

GTM Professional - Supported by Barrus

E. P. Barrus Ltd, Glen Way, Launton Road, Bicester, Oxfordshire. OX26 4UR

Tel: 01869 363658 www.gtmprofessional.com